G. R. S. IX-5]

Previous references.

1917.
(Miscellaneous)

File No. 324-17

Serial Nos. 149

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 149

Part B for July 1919

SUBJECT.

Water supply on the Thanjavur Hill in the Pattukottai Taluk

No 34 d. 4.7.1919.

To The Chief Engineer

Directs that the question of repairing the pond on the Thanjavur Hill, be for the present.

No. 35. d. 4.7.19

Copy to Dy. Chief.

W D 1230—EPB—30,000 28-1 19

1/Bishop
Dec 1919.
1.9.

G. R. S. III—1] 1917.

GENERAL AND REVENUE SECRETARIAT.

(Mysore)

NOTES.

File No. 324 / 1917

FILE HEADING.

Water Supply on the Kanighatta Hill in the Seringapatam Taluk.

From

Personal Asst. to Commr. & Resident The Chief Engineer for Irrigation, Bangalore.

No. 13181 Dated 10-12-1917 Received

Diary No. 1026	Enclos. 4 Spare Copies. —	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Forwards for sanction and allotment of funds, an estimate amounting to Rs 2,130 for improving the Water Supply on the Kanighatta Hill in the Seringapatam Taluk.

7

NOTES AND ORDERS.

1) Submd. for orders. The place was recently visited by the Secretary. May the Deputy Commr be consulted as to what amount can be made available from the funds of the institn.? 2) The

M 1537 15-12-17

amn 15/12/17

NOTES--First Sheet.

WD 1282—GPB—20,000—18-11-16

WD 1283—GPB—60 000—1 12-16—S

G. R. S. III-2]

General and Revenue Secretariat.

File No. 324 of 191 7

Serial No.

Papers may be perused and instructions kindly given.

Secy)

15/12/17

3) Request the opinion of the Commrs. Note the funds at credit. Some water facilities is of the first importance though the utility of the work is somewhat problematical

22.12.17

4) Submitted with DJS's & map

26/1/18

5) Approved, vide the funds at Credit

25-1-1818

Rs. 977-4-7 on 1.12.17 (vide next page).

2. No. 1838. D 6.2.18 Calls for

Put on under disposal. D 1657

3 From the E. E. Mysore. no. D. Dis. 151 d. 28.3.18. Submits his report on the above estimate in reply to Sl. 2.

The DJ Comm^r states that as great difficulty is being felt for water by devotees visiting the temple (of Sri Venkataramanaswami) which is situated on the top of the Kanighatta hill during the annual

NOTE—Contn. sheet.

MD 123—GPB—6(COO—1-12-16

A 1657

G. R. S. III-2]

General and Revenue Secretariat.

File No. 324 of 1917.

Serial No.

annual gatha in Feby; he is of opinion that the work may be sanctd and carried out if it is considered practicable from the Engineering point of view. The Ex: Engineer's report on the estimate accompanies the same. The D. C. does not state how the cost of the estimate (amounting to Rs. 2130) is to be met. From the Amildar's report d. (27.2.17) it is seen that the funds at the credit of the institution on 1st December 1917 amounted to Rs. 977-4-7 (774-1-0 in funds & 203-3-7 in pro-notes). The figure according to the accounts of the Comptroller's office was Rs. 955-0-6 on 1st July 1917. The temple enjoys an annual cash grant of Rs. 791-13-0, as mentioned in the Cash grant Register. It is reported that the devotees are prepared to contribute a sum of Rs. 200 or 300 for clearing the silt from the pond & that Rs. 175 has been deposited in the Cooperative Society at Seringapatam. There is also a report d. 11. 3. 18 sent by the Amildar to the D. C. through the Y. D. O. of French Rocks in connection with the representation of Swami Dayasagara Bhishmachar of Seringapatam. Help from the Mzrai Dept is asked for by the Amildar to meet the cost of the estimate. The Chief Engineer who has forwarded the estimate requests sanction and allotment of funds.

Noted for orders.

MR.
6.4.18.

Vide sl. 1

NOTE—Contn. sheet.

WD 1233—GPB—60,000—1-12-17—S.

G. R. S. III-2]

General and Revenue Secretariat. | File No. 324 of 1917.

Serial No.

7) The Deputy Commr says that the proposed work maybe sanctd and carried out provided that it is found to be practicable from an Engineering point of view. The Temple has not sufficient funds to meet the cost of the present estimate.

8/4/18 — 8) Sabe — N.S. 8/4/18.

Seen)

9) The Ex. Engr has not given a definite opinion about the usefulness of the work. Please request the opinion of the Ch. Engr as regards the usefulness of the work if undertaken and whether it will be found sufficient water supply for a year and whether there might not be some arrangement to drain the pond completely during the rainy season with a view to keep the water sweet.

N.S. 9/4/18. — 9.4.18

10) Draft sanctd for approval

MV. 23.4.18. — 24/4/18

11) Approved. N.S. 29/4/18.

NOTE—Contn. sheet.

WD 1283—GPB—60,000—1-12-16

G. R. S. III-2]

General and Revenue Secretariat.

File No. 324 of 191 7

Serial No.	
4	To the chief Engineer for Irrigation 2805 Dy 1.5.18. Calls for further report in the matter
5	Letter No 8168 Dy 8.7.18 from the Chief Engineer of Mysore Suggesting Certain improvements to be effected to the Pond on the Kanighatta hill.
12	Submitted for orders The pond is said to be leaky in the sides & bottom & to the work is retained. The Estimate is intended to make the pond water tight. The Chief Engr. says that the arrangements for draining the pond maybe undertaken after the repairs now proposed are found to be satisfactory.
13	May the repairs proposed now to the pond at a cost of Rs 2 be sanctioned?
14	There is no pronounced opinion forthcoming as to the value to be derived from the work. Orders are solicited whether the Estimate may be sanctioned.

P.S. 15.7.18

Secy.)

H.D. 16/7/18.

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

File No. 324 of 191 7

Serial No.

15) I have seen the fund and if any sufficient water can be impounded to serve the purposes of the temple and its visitors, the expense may incurred the matter. But I am doubtful about this point and the chief hope is in sinking or making bore for an assurance in the water supply he might to have data enough of impounding, evaporation etc. May the steps also be sanctioned to help the cost. We have to borrow by State grant. the rest help being met from Contributions and temple funds

Rec
17.7.17

(1st member)

265
20.7

16 I have no objection to sanction the special provision asked for in this G.O. but in view of the fact that the [illegible] Rs 40 contribution from the Devasthanam received & deposited in the Bank) - the Govt help & the Govt may be met from Temple & State funds) -

Rec
20/7

NOTE—Contn. sheet

WD A 1789—GPB- 60,000—20-3 18—S.

AD 12 ?—GIL—C 0?3—1 12-16—3

G. R. S. III-2]

General and Revenue Secretariat.

MW File No. 226 of 191

Serial No.

17 Please draft a reply to Chief Engr. also a letter to SE concd.

lee 23-7-18

23/7/18

18 Draft letter Subd for approval

24/7/18

lee 25/7/18

26/7/18

Seen

17 Appd lee 27/7/18

6. No 385 & 2-8 18 To S.E. of Mysore Requests that necessary action may be taken in the matter and states that the cut may be sanctd provided that half the cost is contributed by the devotees.

7. No 386 & 2-8 18 To Chief Engr in Mysore Intimates that improvements may be executed provided that half the cost is contributed by devotees

Note—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Enquiry File No. 324 of 1917.

Serial No.

Letter No B.12 922 dated the 18th November 1918 from the Chief Engineer of Mysore enquiring how the question of improving the speed on the Kanighatta hill in the Seringapatam Talluk should at present

To the Dy Comm, Mysore Dt., was requested to give publicity to the fact that the estimate would be sanctioned if the devotees described bear the cost of the work, the other half to be met in equal shares by from the Temple funds & State Grant. No further Communication has been received from the Dy Comm, in the matter.

Submitted for orders

Chk 21 The communication was made to 6/12/18 the Dy: Comr on 7.8.18. A reminder will be issued to him now. The Chief Engr may be informed that final orders in the matter will be passed on receipt of a reply from the Dy: Co.

22 Geo. Doak.

NOTE—Contn. sheet.

C.C. 9-12-18

10/12/18

G. R. S. III-2)

General and Revenue Secretariat. | Irrig File No. 324 of 1917.

Serial No.	
	23 & ffs as per orders subd for approval C.E. 11/12/18 Drafts may be approved. D.S. 12/12/18 Sec'y. 12/12 Asst Secy. 13/12/18
8	Letter No D.Dis. 1429/18 dated the 6th June 1918 from the Dy Comm., Hyderabad, reports that only a sum of Rs 191-9-0 has been collected as contribution from the public towards the cost of the work, that no further contributions are likely to be received, that the Sub Divl Officer is of opinion that the work is not an urgent need and that as there is a large amount of masonry in the work it is a luxury. Subd for orders if approved the Chief Engineer will be

NOTE—Contn. sheet.

G. R. S. III-2j

General and Revenue Secretariat.

Revenue File No. 324 of 1917.

Serial No.	
	informed, in these circumstances, that the question may be ~~closed~~ considered as dropped for the present. C.E. 19/6/19 Submitted for orders. SD 19-6-19 K.S. 19/6/19. Secy.) Draft-ll K.S. 21/6/19. Asst Secy C.E. SD 23/6/19 Draft-ll S.S.
9.	To. The Chief Engineer of Mysore No. 34. Dt. 4.7.1919. Directs that the question of repairing the pond on the Kaighatta Hill be dropped for the present. No. 35 — Copy to D C

NOTE—Contn. sheet.

1026

W D A133—GPB—500—24-7-17

Telegraphic Address: *Stateworks*

17 18

Mucz

324-17

No. 13181

Ans: 4 { 1 Report, 1 Estimate, 2 Drawings

3 DEC 1917

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE,

Bangalore, 1st December *1917*

From

133

S. CADAMBI, ESQ.,

Chief Engineer for Irrigation,

Bangalore.

To

G.Aravamudu Iyengar, Esq., B.A., B.L.,

Joint Secretary to Government,

Muzrai Department.

SIR,

I have the honour to forward for favour of sanction and allotment of funds, the accompanying estimate amounting to Rs 2,130 for improving the water supply on the Karighatta Hill in Seringapatam Taluk.

2. The necessity for the work is explained in the report of the Executive Engineer attached to the estimate.

3. Provision for the clearance of silt in the bed of the katte is not made in the estimate. During execution of the work, the silt will be thoroughly cleared and the liming laid over the natural weir.

4. The Forest Department may kindly be requested to remove the sandalwood trees that are in the bed of the tank.

I have the honour to be,

Sir,

Your most obedient servant

R V Sundaramia

for Chief Engineer for Irrigation.

V.N.S.

W D A 133—GPB—500—24-7-17

1917.

MYSORE P. W. DEPARTMENT.

No. 13181.

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The Joint Secretary to Government

Muzrai Department.

Dated Bangalore, 10th December *1917*

Despatched 11th December 1917.

Enclosure No.

SUBJECT.

Improving the water supply on the Karighatta Hill in Seringapatam Taluk.

G. R. S. V1—G/32]

SUBJECT 2015

Ad-interim reply

Diary No. of letter replied to ..

GENERAL AND REVENUE SECRETARIAT

( )

, the *191* .

Date of issue 6.2.18

Signed by Jn. In. Sadasiva Rao.

Section

File No. 324-17

Serial No. 2

No. 1877

To

The chief Inspector for Irrigation.

Sir,

Adverting to your letter no. 13181 dy 10th December 917 forwarding an estimate for Rs 2130 for improving the water supply on the Karigiri Hill in the Seringapatam Taluk, I am directed to state that the Dy. Commr, Mysore Dist, has

over.

been asked to furnish certain information, on receipt of which a further communication will be addressed to you in the matter.

I have &c

WP

for Joint Secretary
Commerce Dept
26/1/18

List of enclosures.

Copied by

Examined by

W D86—GPB—60,000—15 11 16

2811

G. R. S. VI—G/32]

2815

SUBJECT Calls for the Dy. Commrs' Opinion on the estimate for improving the water supply on the Kanighatta Hill

Diary No. of letter replied to 1026

Section Rev
File No. 324-17
Serial No. 3

GENERAL AND REVENUE SECRETARIAT

( )

, the 191 .

No. 18788 & 5

Date of issue 6.2.18 To

Signed by Mr. M. Sadasiva Rao

The Dy Commr,
Mysore Dist

Sir,

I am directed to forward herewith copy of letter no. 13181 dd 10-12-17 (with ~~their~~ ~~letter~~ Dist letter) from the Chief Engineer for Irrigation re an estimate amounting to ~~Rs~~ Rs 2,130 for improving the water supply on the Kanighatta Hill in the Seringapatam Taluk,

over.

× 1 Report
1 Estimate
2 Maps

2811

I am to request that you will be
so good as to favour Govt
with your opinion thereon at very early date.
~~(2) The favour of a very~~
~~early reply is requested~~

I have &c

W.D.
26.1.10.

WD/ Joint Secy,
Ind. Mus. Dept.
26/1/10

List of enclosures.

Copied by

Examined by

W D86--GPB -60,000-15 11 16

Letter No. 13181 dated 10th December 1917 from the Chief Engineer for Irrigation, to the Joint Secretary to Government, Muzrai Department.

I have the honour to forward for favour of sanction and allotment of funds, the accompanying estimate amounting to ₹2,130/- for improving the water supply on the Karighatta Hill in Seringapatam Taluk.

2. The necessity for the work is explained in the report of the Executive Engineer attached to the estimate.

3. Provision for the clearance of silt in the bed of the katte is not made in the estimate. During execution of the work, the silt will be thoroughly cleared and the lining laid over the natural weir.

4. The Forest Department may kindly be requested to remove the sandalwood trees that are in the bed of the tank.

"C O P Y"

For Joint Secretary to Government.
Muzrai Department.

CP.

Diary No. 1657

1917/18

SECT. MWR

No. 32477

SERIAL No. 3

SECRETARIAT VII 30 MAR 1918

1917-18

From The Diplomatic Department

To The Joint Secretary Egypt Mujrai Dept

Dated 27.3.18

Despatched 28-3-18

Received

General No. Diplo. No. 131 of 17 regarding

No.

Enclosure No. one ps.

Submits opinion re Kasr el Nil bridge repairs.

Office of the Deputy Commissioner,

Mysore District.

Mysore, dated the 27th March 1918.

From

K. Matthan, Esq., B.A.,

Deputy Commissioner,

Mysore District.

To

G. Aravamudu Iyengar, Esq., B.A., B.L.,

Joint Secretary to the Govt. of Mysore,

Muzrai Department, Bangalore.

Sir,

In returning herewith the enclosures to your letter No.1878/Muz.324-17-3 dated the 6th February 1918 regarding the improvement of water supply on the Karighatta Hill in the Seringapatam Taluk, I have the honour to state that considerable difficulty is now experienced by devotees visiting the temple on the top of this Hill for want of water anywhere near. At the annual jatra which occurs about the month of February, water has to be let into the Chickkadevaroya Sagara Channel for the convenience of the devotees. This water is of course available only at the foot of the Hill. I have inspected the pond on the top of the Hill. As far as one can make out, it is a ~~very~~ shallow reservoir with a brick and mortar floor, but many people say that the pond is silted to the extent of 20 feet, and that if the silt is cleared it will retain water. If the proposed work is practicable from the engineering point of view, I am certainly of the opinion that it may be sanctioned and carried out.

2. Reference is made in the report accompanying the estimate, to the devotees being prepared to give 200 or 300 rupees to remove this silt. It is learnt that a sum

sum of Rs.175 has been deposited for this purpose in the local Co-operative Society and would be available.

I have the honour to be,

Sir,

Your most obedient servant,

Deputy Commissioner,
Mysore District.

PH.

No. 572.

Exec[illegible] Engineer's office,

Mysore dated the 30th December 1916.

Enc 3.

From A.C. No. 143 of 15-16, Mysore.

Y. Kesvathanarayana Rao, Esquire,

Executive Engineer, Mysore Division.

To

K. Matthan, Esquire, B. A.,

Deputy Commissioner, Mysore District,

MYSORE.

Sir,

I have the honour to forward as requested in your reference No. A. C. 143 of 15-16 Muz., a copy of estimate andplan for repairing the pond on the Karigatta Hill for your kind information.

I have the honour to be,

Sir,

Your most obedient servant,

Executive Engineer,

Mysore Division.

DEPUTY COMMISSIONER'S OFFICE MYSORE 3-DEC-1916

MRS 1

2/12/16

From

To

Dated

Despatched

Received

General No.

No.

Enclosure No.

29/4

G. R. S. VI—G/32]

SUBJECT... Calls for further information re: the improvement of the water supply in the Kanighatta Hill in the Seringapatam Taluk.

Diary No. of letter replied to 1657

Section Rev
File No. 324-17
Serial No. 4

GENERAL AND REVENUE SECRETARIAT,
( )
, *the* 191

No. 2805/Ex

Date of issue 1-5-1918

To

Signed by M. Lakshmana Rao

The Chief Engineer for Irrigation in Mysore.

Sir,

Paper under Disposal.

Adverting to your letter No. 13181 d. 10.12.17 submitting for sanction an estimate amounting to Rs. 2130 for improving the water supply in the Kanighatta Hill in the Seringapatam Taluk I am directed to state that the Executive Engineer, Mysore Division, in his report on the estimate has not given a definite opinion about the usefulness of the work in

over.

question

and to request Therefore that you will be so good as to furnish your opinion as regards the usefulness of the work if undertaken and as to whether it will impound sufficient water to last for a year and whether there ought not to be some arrangement to drain the pond completely during the rainy season with a view to keep the water sweet. An early reply is requested. The enclosures received with your letter are herewith returned for reference.

I have etc.,

WD. 29/4/16
Sergt. Secretary to Govt,
Ammn. & Mineral Dept.
24/4/16

List of enclosure

Copied by

Examined by

WD 86—GPB—60,000—15 11 16

Mysore Public Works Department,

Central Office,

No. 8168/Gr 4 (restimate (refused 2 times)

Dated Bangalore, 8th July 1918.

From

125

08208

The Chief Engineer of Mysore,

B A N G A L O R E.

18-19

324-17

To

The Joint Secretary to the Government of Mysore,

Muzrai Department.

Sir,

With reference to your letter No. 2805/324-17-4 dated 1st May 1918 re the improvement of Water Supply on the Karighatta Hill, I have the honour to inform you that the requirements for one year entirely depend on the number of pilgrims visiting the hill. However it is understood that for a long time previously the pond was serving an useful purpose and on account of the leaky nature of the sides and bottom, no water is retained at present. It is expected that by making the bottom and sides water tight the pond will prove as useful again as it was before.

2. The arrangements for draining the pond may be undertaken after the present repairs are found to give satisfactory results.

I have the honour to be,

Sir,

Your most obedient servant,

R V Sundaramma

for Chief Engineer of Mysore.

N.J.P.

G. R. S. VI—[illegible]/32]

SUBJECT: Requests that necessary action may be taken in regard to the Estimate for the improvements of the pond on the Kanagattara Hill.

Diary No. of letter replied to .....

Section Peer

File No. 8264

Serial No. 6.

GENERAL AND REVENUE SECRETARIAT

( )

, the 191 .

No. 381/Miscl.

Date of issue 2.8.1918

Signed by [illegible]

To

The Dy Com.r

Mayam D.

Sir,

With reference to
your letter No. 131/1917 dd
dated the 28th March 1918
on the subject of certain im-
provements to the pond
on the Kanagattara Hill, I
am directed to
the A.G. of the
Fiscal to
state that the Govt. will
have no objection to
sanction the estimate provided
that not less than half the
cost is contributed by the
devastation temples and
deposited in the Treasury
Treasury and that in that
case the balance may
be debited in equal
shares to the temple funds
and State funds.

I am to request that you will be so good as to give publicity to this decision in order that a view to attract contributions from intending subscribers.

I am directed to the Chief Engr in Nyasaland to request you to be so good as to take necessary action in the matter of recovering the subscriptions from the devotees of the temple, ~~and deposit the funds to the~~ the other half of being borne by Imperial funds from the State grant to temple funds. The Report Plans & Estimates for the improvements received from the Engineer for Organisation are herewith forwarded for consideration & such direction as may be necessary. pending your reply. for formal sanction.

List of enclosures.

Please see
Mr
27.7.18
K Secy. Imp.
BC
25/7/18

26/7/18

Copied by

Examined by

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE,

GENERAL AND REVENUE SECRETARIAT

Bangalore, Dated 2 8 *191*

No. 385 Miscl 23

Muzrai 324-17-6.

From G. Aravamudu Iyengar, Esq., B.A.,B.L.,

Joint *Secretary to the Government of His Highness the Maharaja of Mysore.*

Muzrai Department.

To

K. Matthan, Esq., B.A.,

Deputy Commissioner, Mysore District.

SIR,

With reference to your letter No.131 of 1917-18 dated the 28th March 1918 on the subject of certain improvements to the bond on the Karighatta Hill, I am directed to state that the Government will have no objection to sanction the estimate provided that not less than half the cost is contributed by the devotees of the temple and deposited in the Taluk Treasury and that in that case the balance may be debited in equal shares to the temple funds and the State Grant . I am to request that you will be so good as to give publicity to this decision of Government with a view to attract contributions from likely subscribers.

The report, plans and estimates for the improvements received from the Chief Engineer for Irrigation are herewith forwarded for resubmission to Government in due course with your reply.

I have the honour to be,

Sir,

Your most obedient servant,

Joint Secretary to Government,

Muzrai Department

G R. S. VI—G/32

SUBJECT Intimates that improvements to the Pond on the Kaingratta Hill may be executed only after the devotees have paid a moiety of the estimated cost

Diary No. of letter replied to 125

Section Rev

File No. 324-17

Serial No. 87

GENERAL AND REVENUE SECRETARIAT,

( )

the 191

No. 386

Date of issue 2-8-1918

To

Signed by Mr. M. Lad Sahib

The

Chief Engineer of Mysore

Sir;

With reference to your letter No 8168 dated 8.7.18 suggesting Certain improvements to the Pond on the Kaingratta Hill, I am directed to ~~intimate~~ inform you that ~~the work may be put on hand only after the devotees have~~ Contribution ~~from the devotees which is to be~~ obt.

(At an Estimated cost of Rs 2130

Govt have no objection to sanction the Estimate provided that ~~the work is put in hand only after the~~ half the cost is contributed after devotees. The Revenue ½ cost is being Consulted in the matter and orders of Govt will be

of the Estimated Cost, passed on receipt
it recovered from the applicants for the
deceased and credited to Govt.
the Taluk Treasury. ~~The Plan & Estimate have also been forwarded to the~~
Mr Ewelds letter to ~~his~~ your
have been forwarded to the Dyford ~~& Engineer~~ Engineer &
under reg ~~and has been forwarded~~ for necessary action

Have &c

Illegible
25.7.18

~~Secretary~~ to Govt

26/7/18

RB
25.7.18.

~~Copy of the above is forwarded~~
with compliments to the Dy Comr
Nagapattinam with reference to his
letter No 131 of 17-18 dated
the 28th march 1918 for necessary
action. with the remark that
The other half will be
borne partly from the State funds
of 1918-19 and partly from the
funds of the institution

RB

List of enclosures.

Copied by

Examined by

W.D.C.—G.P.B.—0000-15 11 16

For Secretary

RB
25-7-18

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

GENERAL AND REVENUE SECRETARIAT,

Bangalore, Dated 2. 8. *191*.8.

No. 386
Muz 324-17-7

From

G. Aravamudu Iyengar, Esq., B.A., B.L.,

Joint *Secretary to the Government of His Highness the Maharaja of Mysore.*

Muzrai Department.

To

S. Cadambi, Esq., B.A., L.C.E.,

Offg. Chief Engineer of Mysore.

SIR,

With reference to your letter No.8168 dated 8th July 1918 suggesting certain improvements to the pond on the Karighatta Hill at an estimated cost of Rs.2130/- I am directed to inform you that Government have no objection to sanction the estimate provided that half the cost is contributed by the devotees. The Deputy Commissioner is being consulted in the matter and final orders of Government ~~will be~~ will be passed on receipt of a reply from the Deputy Commissioner.

2. The enclosures to your letter under reply have been forwarded to the Deputy Commissioner, Mysore District for necessary action.

I have the honour to be,

Sir,

Your most obedient servant,

for Joint Secretary to Government,

Muzrai Department.

CS. 2.

DIARY No 2220

SECTION Misc

FILE No. 324-17

SERIAL 8

WD 0463—GPB—3,00,000—21-7-17—S.

2226 1918-19 (30

From

The Deputy Commissioner

Mysore District.

To

The Joint Secretary to Govt
Muzrai Department,

Bangalore.

Dated 5th June 1919.

Despatched 6th June 1919.

Received

General No. Misc 44-17

No.

Enclosure No.

Submits a report re: the improvement of the pond on the Karighatta Hill.

&c&c&c&c&c&c&c&c&c&c

Office of the Deputy Commissioner,

Mysore District,

Dated, Mysore, 4th June 1919.

Rel No.

From.

P.F.Bowring Esquire.,

Deputy Commissioner,

Mysore District.

To.

G.Aravamudu Iyengar Esquire, B.A.B.L.,

Joint Secretary to the Government of His Highness

the Maharaja of Mysore, Muzrai Department, Bangalore.

Sir,

With reference to your letter No.385/Muz 324-17-6 dated 2nd August 1918 re:the improvements to be effected to the pond on the Karighatta Hill in the Seringapatam Taluk, I hav the honor to state that the Amildar reports that although wide publicity was given to the decision of Government to meet half the charges of the estimate in case the devotees were to contribute the other half, no contribution is forthcoming from the devotees except a sum of Rs 191-9-10 collected by the petitioner, Bhishmachariar and kept in deposit in Sri Krishna Rajendra Co-operative Society. He therefore recommends that the work may as a special case be got executed at Government cost.

The Sub Division Officer, French Rocks in his No. 245 of 18-19 dated 31st March 1919 has reported on inspection that the pond is not an urgent necessity, that there is no difficulty for water during jatra time as water is let into the Chik Devaraya Sagar Channel which skirts the base of the hill and that as regards the requirements of the temple, water from Lokapavani may be used. He is therefore of opinion that it would be a waste of money to spend such a large amount on the pond in question.

A

The vernacular file of papers records ending with the French Rocks Sub Division Officer's No.H.C.245 dated 31-3-1919 is herewith sent together with all the enclosures received with the letter under advertance.

advertance.

I have the honor to be,

Sir,

Your most obedient servant,

H S Ramachandra Rao

For Deputy Commissioner,

Mysore District.

B.N.R.

G. R. S. VI—G/32]

SUBJECT Directing that the question of effecting certain improvements to the pond on the Kaarghatta hill near Sempigepalya be disposed of by the Survey

28/8/19

Diary No. of letter replied to 2220

Section Irrig
File No. 324-17
Serial No. 9

GENERAL AND REVENUE SECRETARIAT,
(VII)
, *the* 191 .

No. 34 Eco 1, Plans estimate & other Records

Date of issue 4.9.19

To The Chief Engineer of Mysore
Bangalore

Signed by G. Narasimhachar Iyengar Esq.

Sir,

In continuation of this Office letter No 386 dated the 2nd Aug 1918 in the matter of effecting certain improvements to the pond on the Kaarghatta hill near Sempigepalya, I am directed to enclose

over.

herewith for information
Copy of letter No D dis
1429/18-19/Engrs dated the
6th June 19 from the
Dy Comm-r, Ingore St.,
reporting on the question
of finance of the Project,
and to request that,
in the circumstances
represented by the Dy
Comm-r the question
may be considered as
dropped for the present.

The plans, estimate
& other records received
with your letter dated 8th
July 1918 are returned
herewith.

I have &c

List of enclosure

For Secy to Govt. Engrs Delhi
23/6/19
Memo No 35 Engrs
Copied by 4.7.1919
Examined by

Copy of the above is forwarded
to the Dy Comm-r Ingore with
letter No 1429/18-19/Engrs
C.O.

S. B. 1918.
23/6/19 Engrs Secy to Govt

WD 86—GPB—60,000—15 11 16